

# SEMICON® EUROPA

NOV 12-15, 2024 | MUNICH, GERMANY

semi

## Future of Work: Skills & DEIB

C. Melvin  
Senior Director, Business Development and  
Operations  
SEMI Europe, Berlin, Germany



### Biography

Cassandra joined SEMI Europe in 2018 to lead its operations, business development, and strategic initiatives. In this role she is responsible for leading a culturally diverse team, enhancing member value, and directing operations for optimized financial performance. Prior to joining SEMI, she held the position Global Product Manager at Atotech for its semiconductor division. She began her career at the SUNY Polytechnic Institute as a Business Manager focused on technical programs for chemistry and equipment manufacturers and held project management roles in clean room operations and IT. Cassandra's written work has been published in leading technical magazines and presented at conferences globally. She holds a BS in Business Management, and Minor in Neuropsychology from Rensselaer Polytechnic Institute. Since 2022, Cassandra has served as Co-Chair of the Executive Board for the EU Pact for Skills for Microelectronics.

References

## AI – Enabling a Revolution in Chip Design Productivity

T. Bjerregaard  
Senior Director of AI  
Synopsys, Paris, France



### Abstract

AI, and in particular generative AI technologies, are set to transform entire industries. AI-based chip design flows are yielding better results and improving designer productivity by adding automation capabilities to assist human experts in the design process. In this talk I will look at the history of AI that has led us to this point and outline key uses of AI in EDA. I will look across the EDA stack at where AI-based approaches have made the highest impact and also look at how generative AI technologies can help capture human knowhow and as such help to mitigate the talent gap that the chip design industry is facing.

### Biography

Tobias Bjerregaard

MBA in General Management, Copenhagen Business School (2017)  
PhD in Asynchronous Circuit Design and Networks-on-Chip, Technical University of Denmark (2005)  
MSEE in Solid State Physics, Technical University of Denmark (2000)  
CEO and founder of startup Teklatech, acquired by Synopsys in 2018. Currently Sr Director of AI at Synopsys, leading a group of AI R&D teams across the US and Europe that explores, develops and markets new EDA methods and tools based on advanced, state-of-the-art AI technologies

References

# AI-Driven 3D X-Ray Inspection: A Game-Changer for Advanced Semiconductor Packages

I. Drolz  
Vice President Marketing & Product Strategy  
Comet, Hamburg, Germany



## Abstract

Coming Soon

## Biography

Isabella Drolz serves as the Vice President of Marketing & Product Strategy at Comet AG's X-ray Systems Division. The division develops advanced X-ray/CT systems and AI software solutions under its brands Comet Yxlon and Dragonfly. Comet Yxlon provides X-ray and CT inspection solutions from lab to fab environments, while Dragonfly offers AI-powered software that enables scientists, researchers, and industrial customers to perform complex image analyses and extract actionable insights in a repeatable, reliable, and cost-efficient manner, driving product yield.

In her role, Isabella oversees Market and Product Management, Global Application & Training Centers, Marketing, and the Academia Program. She holds a degree in industrial engineering, a Bachelor of Science in International Business Administration, and an MBA from Southern Nazarene University in Oklahoma City, USA. With a strong background in mechanical and plant engineering, Isabella has held several management roles focused on market-driven product and business development.

References

## CEE: Future Location of Semiconductor Investments

M. Trunin  
Director  
Invest in Pomerania, Gdańsk, Poland



### Abstract

The presentation provides a comprehensive exploration of the key factors influencing the decision to locate new semiconductor investments in CEE and Pomerania, taking into account geopolitical, logistical, environmental, and supply chain dynamics.

The CEE countries have stable governments, growing economies, and a strong presence in NATO and the EU, making them attractive for investment. Moreover, the alignment with EU and NATO policies reduces risks associated with instability, making them ideal for long-term investments, especially in manufacturing and tech sectors.

Russia's aggression in Ukraine has raised concerns about the security of supply routes and energy dependence. The CEE countries, Poland in particular, have taken steps to reduce dependence on Russian energy, strengthening energy security and reducing risks for manufacturing.

The importance of coastal access and central positioning is not to be overlooked. Proximity to the sea and ports and international routes reduces the cost and complexity of importing raw materials and exporting finished products, while access to maritime, railway and express routes is crucial for global supply chain integration in the semiconductor industry.

With the EU moving toward stricter regulations on per- and polyfluoroalkyl substances (PFAS) due to their environmental and health risks. Investing in the CEE and Pomerania allows companies to build manufacturing processes that are compliant with future regulations, making the industry more sustainable and future-proof. The availability of green energy (wind farms in the Baltic Sea, for example) further supports sustainable semiconductor production.

### Biography

Deputy Director at Invest in Pomerania, a local investment promotion agency responsible for attracting foreign direct investments to the Pomeranian Voivodeship (northern Poland). During over 10 years in the organization, he directly supported investment projects of such companies as Intel, Northvolt, Flex, Alteams, ThyssenKrupp, Siemens Gamesa, Archer, Lacroix Electronics. Thanks to his experience and extensive business knowledge, Mikołaj is able to efficiently support every investment process. As highlighted by investors, it is often the activities of the Invest in Pomerania initiative that have contributed to choosing Pomerania as an investment destination. According to the World Bank analysis, the impact of Invest in Pomerania's activities from 2011 to 2020 on the growth of jobs related to foreign direct investment was 230%.

## **Future of Work Panel**

D. Collins  
General Manager, SPTS Division, KLA Corporation  
KLA Corporation, Newport, United Kingdom

### **Abstract**

n/a

### **Biography**

Dan Collins is General Manager of the SPTS Division within KLA Corp. After joining SPTS in 2016 as Supply Chain Director, Dan was promoted to VP Operations in 2019 and has been instrumental in driving the improvements to the company's manufacturing operations. As General Manager he is overseeing the integration of SPTS into KLA, involving new processes, systems and employee culture during a period of significant growth for the business. He has previous operations experience with Edwards and Cooper Tire & Rubber Company with exposure to supply chain management in the semiconductor, automotive, and other industries. He holds a BSc(Hons) in Astrophysics from Queen Mary University of London, and MSc in Technology Management.

References

M. D. Perez  
Communications Manager  
SEMI Europe, Berlin, Germany

### **Biography**

Maria Daniela Perez is the Communications Manager at SEMI Europe, overseeing regional marketing and communications efforts. With extensive experience working with global teams, Maria excels at crafting strategies that enhance SEMI's visibility and engagement. She is also passionate about workforce development and leads the 20Under30 initiative, which focuses on empowering young professionals in the industry.

References

## Topic Coming Soon

A. Iranzadeh  
Digital Transformation Program Manager  
X-FAB MEMS Foundry Itzehoe, Itzehoe, Germany



## Abstract

Coming Soon

## Biography

Coming Soon

References

## Topic Coming Soon

S. Massar  
R&D Engineer  
Imec, Leuven, Belgium



## Abstract

Coming Soon

## Biography

Coming Soon

References

## Explore the Journey of a Young Engineer Driving Innovation in the Semiconductor Industry

P. Döll  
Physical Implementation Engineer  
Racyics GmbH, Dresden, Germany



### Abstract

Get an insight to my journey as a SEMI 20 under 30 winner, from early years through university to managing cutting-edge projects in the semiconductor industry. Discover what the workday of a chip designer in a mid-tier business looks like and where the role extends beyond engineering to project management, marketing, and product leadership.

In this talk, I will share my personal experiences and challenges, illustrating how a passion for semiconductors can lead you to diverse and rewarding career paths. Furthermore, together we will explore the world of semiconductor design within Racyics – Europe's leading Design Partner for Integrated Circuits - and highlighting the unique opportunities for growth and innovation. We will also touch on the future opportunities within the company, offering insights into how these roles can evolve and intersect.

Whether you're curious about the life of a chip designer or eager to explore broader opportunities in microelectronics, this talk offers valuable insights and inspiration for anyone at the start of their professional journey.

### Biography

Patrick Döll is an experienced Physical IC Design Engineer at Racyics with a master's degree from the RWTH Aachen university, specializing in Micro- and Nanoelectronics. Due to his contribution to numerous tapeouts in advanced nodes, he shows expertise in the entire chip design process, from the initial design stage to the final product, which allows him to manage cutting-edge projects in the semiconductor industry. On top, he actively supports the Design Enablement Service of Racyics by participating in the product development of makeChip - a cloud-based chip design platform - and is involved in the company's marketing efforts.

References



# Damage-Free Plasma Enhanced Atomic Layer Deposition of AIOX Dielectrics for Tunable Doping of 2D Materials

A. Esteki  
PhD student  
RWTH Aachen University, Chair of Electronic  
Devices, Aachen, Germany

## Abstract

Two-dimensional materials (2DMs) such as graphene and transition metal dichalcogenides (TMDs) have great potential for heterogeneous integration with advanced silicon technology for future electronics<sup>1-4</sup>. Most prominently, the latter are considered as channel materials in ultimately scaled metal oxide semiconductor field effect transistors (MOSFETs)<sup>5-9</sup>. Two open challenges toward their application are the damage-free deposition of high-quality high- $\kappa$  dielectrics on the 2DMs and controllable doping of the channel to adjust threshold voltages<sup>10</sup>.

In this work, we deposited a non-stoichiometric aluminum oxide (AIOX) layer using an Oxford Instruments Atomfab™ plasma enhanced atomic layer deposition (PEALD) system. This AIOX layer, containing nitrogen and carbon, differs from stoichiometric Al<sub>2</sub>O<sub>3</sub>. Short, low-power process steps with remote plasma conditions<sup>11</sup> were used to directly grow a thin layer of AIOX on commercially available graphene and on MoS<sub>2</sub> which was grown in an AIXTRON MOCVD reactor. Raman spectroscopy data showed no discernible deterioration of the 2DM compared to a standard Al<sub>2</sub>O<sub>3</sub> process. We further validate the 2DM quality with electrical data from field-effect transistors (FETs) encapsulated with AIOX. The current-voltage measurements were performed in a four-point configuration to avoid a strong influence of the contact resistance before and after dielectric deposition under ambient conditions. The AIOX dielectric passivation improved the carrier mobilities in the devices. In addition, the process allows the tuning of graphene's Dirac and MoS<sub>2</sub>'s threshold voltages proportional to the thickness of the AIOX layer. Our results show that PEALD deposited AIOX provides a promising route for the encapsulation of 2DM-based electronic devices, as it improves device performance and can be used to tune the Dirac or threshold voltages at the same time.

**Acknowledgments:** This work was funded by the European Union under the Horizon Europe grants 2D-EPL (952792), Graphene Flagship Core 3 (881603), and the German BMBF project GIMMIK (03XP0210).

## Biography

### Authors:

**Ardeshir Esteki**<sup>1</sup>, Sarah Riazimehr<sup>2</sup>, Agata Piacentini<sup>1,3</sup>, Harm Knoops<sup>2,4</sup>, Martin Otto<sup>3</sup>, Gordon Rinke<sup>3</sup>, Zhenxing Wang<sup>3</sup>, Annika Grundmann<sup>5</sup>, Holger Kalisch<sup>5</sup>, Michael Heuken<sup>5,6</sup>, Andrei Vescan<sup>5</sup>, Daniel Neumaier<sup>3,7</sup>, Alwin Daus<sup>1,8</sup> and Max C. Lemme<sup>1,3</sup>

<sup>1</sup>Chair of Electronic Devices, RWTH Aachen University, 52074 Aachen, Germany. <sup>2</sup>Oxford Instruments Plasma Technology UK, Bristol BS494AP, United Kingdom. <sup>3</sup>AMO GmbH, Advanced Microelectronic Center Aachen, 52074 Aachen, Germany. <sup>4</sup>Department of Applied Physics, Eindhoven University of Technology, 5600 MB Eindhoven, The Netherlands. <sup>5</sup>Compound Semiconductor Technology, RWTH Aachen University, 52074 Aachen, Germany. <sup>6</sup>AIXTRON SE, 52134 Herzogenrath, Germany. <sup>7</sup>Bergische Universität Wuppertal, 42119 Wuppertal, Germany. <sup>8</sup>Sensors Laboratory, Department of Microsystems Engineering, University of Freiburg, 79110 Freiburg, Germany.

## References

- [1] Akinwande, D. *et al.*, *Nature* (2019).
- [2] Das, S. *et al.*, *Nat. Electron.* **4**, 786–799 (2021).
- [3] Lemme, M. C. *et al.*, *Nat. Commun.* **13**, 1392 (2022).
- [4] Fei, W. *et al.*, *InfoMat* **4**, (2022).
- [5] Dorow, C. J. *et al.*, *IEDM* 1–4 (2023).
- [6] Penumatcha, A. *et al.*, *IEDM* 1–4 (2023).
- [7] Choi, S. *et al.*, *IEDM* 1–6 (2023).
- [8] Chung, Y.-Y. *et al.*, *IEDM* 1–4 (2023).
- [9] Chou, A.-S. *et al.*, *IEDM* 1–4 (2023).
- [10] Illarionov, Y. Yu. *et al.*, *Nat. Commun.* **11**, 3385 (2020).
- [11] H. Knoops *et al.*, *J. Vac. Sci. Technol. A*, 39(6), (2021).

## References

## Atomic Layer Etching of SiO<sub>2</sub> using SF<sub>6</sub>

R. Venugopal  
Master's student  
Center for Hybrid Nanostructures, University of  
Hamburg, Hamburg, Germany

### Abstract

In the relentless pursuit of advancing semiconductor technologies, the demand for atomic layer processes has given rise to innovative processes. Atomic layer deposition has already played a significant role in the ongoing miniaturization features. In the meantime, atomic layer etching (ALE) is gaining increasing traction which offers better control over material removal at the atomic level. Our research focuses on using Sulfur hexafluoride (SF<sub>6</sub>) and Ar Plasma to perform the ALE for etching silicon dioxide (SiO<sub>2</sub>). In our ALE loop process, firstly SF<sub>6</sub> is injected to be adsorbed onto the SiO<sub>2</sub> surface. Secondly, Ar plasma is generated, following which, F radicals are produced which react with the surface to modify it into purgeable gaseous products. Here we show our ALE process on silicon dioxide wafer using SF<sub>6</sub> and Ar Plasma, obtaining a constant etching rate of around 0.14 nm/cycle across independent multiple-cycle runs. Combining the systematic exploration on operating pressure, temperature, plasma power, and SF<sub>6</sub> dose, it is confirmed that the SF<sub>6</sub> does not etch surfaces directly but forms a self-limiting layer, with etching initiated only by the presence of Ar plasma and F radicals. Additionally, detailed atomic force microscopy characterization over multiple cycles reveals minimal changes in surface roughness, presenting a conformal surface etching. Our research provides a dependable, reproducible, and highly controlled ALE process for SiO<sub>2</sub> etch-related nanofabrication process.

### Biography

I am Rakshith Venugopal, a Master of Physics student at the University of Hamburg. I currently am working on my master thesis at the Center for Hybrid Nanostructures (CHyN). After completing my Bachelor of Science in India, I started my journey in pursuing a master's in Hamburg. I gained a passion for nanosciences after starting my masters which pushed me into choosing the topic " Atomic Layer Etching of SiO<sub>2</sub> using SF<sub>6</sub>" as my Master thesis topic.

Contributing Authors: Prof. Dr. Robert H Blick, Dr. Robert Zierold, Jun Peng  
Center for Hybrid Nanostructures, Universität Hamburg

References

## Mechanism of antiferroelectricity in polycrystalline ZrO<sub>2</sub>

R. Ganser  
PhD Student  
Munich University of Applied Sciences, Applied  
Sciences and Mechatronic, Munich, Germany

### Abstract

The size and electric field dependent induction of polarization in antiferroelectric ZrO<sub>2</sub> is the key to several technological applications that were unimaginable a decade ago. However, the lack of a deeper understanding of the mechanism hinders progress. Molecular dynamics simulations of polycrystalline ZrO<sub>2</sub>, based on machine-learned interatomic forces with near ab initio quality, shed light on the fundamental mechanism of the size effect on the transition fields. Stress in the oxygen sublattice is the most important factor. The so constructed interatomic forces allow the calculation of the transition fields as a function of the ZrO<sub>2</sub> film thickness and predict the ferroelectricity at large thickness. The simulation results are validated with electrical and piezo response force microscopy measurements. The results allow a clear interpretation of the properties of the double-hysteresis loops as well as the construction of the free energy landscape of ZrO<sub>2</sub> grains.

### Biography

Dear Ladies and Gentlemen,

My name is Richard Ganser and I work as PhD student at the Munich University of Applied Sciences since February 2021. After my bachelor's degree in technical physics, I decided to deepen my knowledge of semiconductor electronics by studying micro- and nanotechnology. During my studies, I got to know the tools of modern semiconductor research and production from both the theoretical and experimental sides. Inspired by the rapid progress in the field of chip technology, I decided to pursue a PhD in the field of materials science with a focus on ultrathin ferroelectric films for use in state-of-the-art high-performance chips.

The basic idea behind the use of ferroelectric materials is to utilize them as non-volatile random access memory, since the access speed is similar to that of classical RAM, i.e. a working memory that retains its last state when powered off. This development would revolutionize today's computer technology by eliminating the separation between RAM and classic flash memory (hard disk). Even today, the bottleneck in high-performance AI chips is no longer the actual computing power, but the communication speed between RAM and flash, the so-called von Neumann bottleneck, which could be overcome by using FeRAM. FeRAM with ferroelectric PZT as gate layer has been on the market for a long time, but PZT loses its ferroelectric properties below 30nm thickness, which makes the required miniaturization impossible, due to the resulting limited transistor density the devices in question remain uneconomically large and low in performance. Hafnium- and zirconium oxide, introduced 10 years ago, offer an attractive alternative by retaining their ferroelectric properties down to a few nanometers. Much research is being carried out to stabilize and optimize the desired properties, both experimentally and theoretically, as the exact origin of the ferroelectric properties has not yet been conclusively clarified. As part of an international team with groups in France and Portugal, among others, we support our experimental project partners in Dresden with the help of computer simulations. These allow predictions to be made about remanent polarization and phase stability as a function of deformation, doping, and temperature. This requires enormous computing power, which is why we calculate on the SuperMUC in Garching. Despite the use of high-performance computing, conventional ab initio simulations are limited to a few hundred atoms and a few thousand simulation steps. A new method I am using is the use of machine-learned potentials based on ab initio training data. These potentials model the interaction, attraction and repulsion, of the individual atoms among each other and can thus be computed several thousand times larger, up to about 10 cubic nanometers, which corresponds to a realistic grain size in thin films, and several hundred times faster. This allows the investigation of temperature-dependent properties with high statistics and accuracy, such as the change in polarization and even phase transformations down to the smallest atomistic detail. In my work, I also coupled external electric fields to the ions. In this way, I obtained the extensive pyro- and piezoelectric properties of ZrO<sub>2</sub> as a function of temperature, which include electrostriction, giant piezoelectric effects at the phase boundary, and negative genuine piezoelectric coefficients. By coupling electric fields into the transient simulation, the ferroelectric switching behavior can be simulated and questions such as the writing speed, which is of enormous

importance for use in high-performance computers, can be answered.

Another question that remains unanswered is how to stabilize the antiferroelectricity in zirconia. While zirconia crystallizes in a weakly dielectric phase, the monoclinic phase, as a bulk material, e.g. used as dental prosthesis, a strongly dielectric phase, the tetragonal phase, is formed in films below 10 nm, which is already used today as a high-k gate material. Ab initio calculations of pure crystals show that the tetragonal phase transitions to the monoclinic phase due to the higher free energy, which is a discrepancy between simulations and experiments in thin films. Using machine-learned potentials with molecular dynamics simulations, we can simulate a polycrystalline ZrO<sub>2</sub> thin film including the grain boundary, stabilize the tetragonal phase at room temperature and investigate the piezoelectric response in direct comparison with experimental piezoelectric force microscopy data. This result represents a breakthrough in solid-state materials simulation and is currently being published in great detail in *Advanced Functional Materials*. After stabilizing the antiferroelectricity at room temperature in simulations and experiments, the next step in simulation is the addition of hafnium to the machine-learned potential to stabilize the ferroelectric phase over a wider range of film thicknesses and grain sizes, in agreement with experimental results, and to allow a gradual polarization of the films, for example via the grain size distribution. This gradual polarization of the films is of great industrial interest as it allows the modeling of individual synapses. The degree of polarisation and thus the current flowing through the FET is used to store the weight, the strength of the connection between the synapses, in the neuronal network. This hardware approach could enable significant miniaturization of the required computing architecture and lay the foundation for the development of future AI.

Sincerely yours,  
Richard Ganser

References

# Performance Analysis and Implementation of Automated LLM-based Techniques for Crosslanguage Code Conversion and Acceleration of HardwareSoC Development

V. Romashchenko  
Research scientist  
Anhalt University of Applied Sciences, Electrical  
engineering, mechanical engineering and  
industrial engineering, Köthen (Anhalt), Germany

## Abstract

Developing complex systems often necessitates collaboration between software and hardware teams using high-level and low-level programming languages. For narrowly focused companies, which typically have fixed sized number of specialists in application design, this programming language barrier can result in code inefficiencies, extended development cycles, a significant number of bugs, and challenges related to efficient architecture design and debugging strategies. Recent advancements in Machine Learning (ML) and Large Language Models (LLM) such as CodeT5, Copilot, GPT-4o, AI-HDLCoder etc. have opened up new possibilities for automating code generation tasks. However, the proposed models are not cross language based in terms of code programming, and need a short, clear description of a technical task based on Natural Language Processing (NLP) techniques. The proposed work, on the other side, represents the novel instrument demonstrating the AI potential to bridge the gap between python high-level developers and low-level hardware programmers that are using the VHDL language to realize numerous FPGA-based architectures. Exploring different approaches of python instruments and using knowledge of traditional code converters, the proposed work tries to solve the challenges of automated Python to VHDL code generation without additional verification / validation steps and simplify the pitfalls of software obsolescence. Sufficient results or comprehensive approaches need to influence the research and industry application development backgrounds for further matched cooperations and investigations of code generators and compilers, empowering the Industry 5.0 by new generation of code conversion frameworks for rapid prototyping and fast migration of FPGA-based hardware designs, which can lead to planned decrease in additional financial expanses or minimization of development time for a certain project under application development phase.

## Biography

### ***Vladyslav Romashchenko***

2018-now — Research Scientist and Doktorand. Field of Study: Automated VHDL code Synthesisers and Code Generators. Hochschule Anhalt. Germany

2016-2018 — Master of Engineering. Double Degree Programme. Field of Study: Elektro und Informationstechnik. Hochschule Anhalt. Germany

2014-2018 — Master of Engineering. Double Degree Programme. Field of Study: Telecommunications in Economy and Business, Odessa National Academy of Telecommunication. Ukraine.

2019-2015 — Bachelor of Engineering. Field of Study: Telecommunication, Odessa National Academy of Telecommunication. Ukraine.

2009-2013 — Smila Engineering Professional College, Field of study: Maintenance of computerized, integrated and robotic systems.

### ***Yevhenii Holopotyliuk***

08.02.1999

HSA, Master, Electrical and Computer

Education:

1 Hochschule Anhalt

Master, Electrical and Computer Engineering (MA)

Dec 2022 - Present

2 Odessa National Polytechnic University  
Master, Information and technology (126)  
2021 - 2023

3 Odessa National Polytechnic University  
Bachelor, Information and technology (126)  
Aug 2018 - Jul 2021

Experience:

1 Hochschule Anhalt / Köthen (Anhalt) (Deutschland)  
Februar 2023 - September 2023  
Wordpress Developer

2 BeSale/ Odessa (Ukraine)  
August 2019 - November 2023  
Founder, Development Team Lead

3 CosmoPay/ Odessa (Ukraine)  
September 2018 - Juni 2019  
Founder, Development Team Lead

4 ООО "Тавис"/ Nowa Kachowka (Ukraine)  
Mai 2015 - September 2015  
Junior Full Stack Web Developer

References